


Monday, August 23, 2021 12:19:13 PM

POWERLIFT JUNIOR HEAD DETAIL (CONCRETE BUILDING HEAD MEMBER)



CONCRETE ANCHORS THROUGH STEEL TABS INTO CONCRETE HEADER

BUILDING HEADER CONCRETE BY OTHERS (SIZE AND RELATIVE LOCATION MAY VARY)

STEEL TABS WELDED TO POWERLIFT FRAME HEADER

POWERLIFT HINGES

POWERLIFT FRAME HEADER TUBE

STEEL TABS WELDED TO POWERLIFT FRAME HEADER

POWERLIFT SWINGING DOOR LEAF

3.50 (MAY VARY) 3.50 3.50

SECTION A-A
SCALE 1 : 8

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POWERLIFT DOORS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POWERLIFT DOORS IS PROHIBITED.



		UNLESS OTHERWISE SPECIFIED:	NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	
		TOLERANCES:	CHECKED	
		FRACTIONAL: ±	ENG APPR.	
		ANGULAR: MACH ± BEND ±	MFG APPR.	
		TWO PLACE DECIMAL ±	Q.A.	
		THREE PLACE DECIMAL ±	COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14. 5-2009		
		MATERIAL		
		FINISH		
NEXT ASSY	USED ON			
APPLICATION		DO NOT SCALE DRAWING		



Part Number	N/A	
TITLE:	Concrete Jamb and Header	
SIZE	Door Type(s)	REV
A	Junior	A
SCALE: 1:25	WEIGHT:	SHEET 1 OF 3

Monday, August 23, 2021 12:19:13 PM

POWERLIFT JUNIOR JAMB DETAIL (CONCRETE BUILDING JAMB MEMBER)

B

B



BUILDING JAMB
CONCRETE BY OTHERS
(SIZE AND RELATIVE
LOCATION MAY VARY)

CONCRETE ANCHOR
THROUGH POWERLIFT FRAME
POST INTO CONCRETE JAMB

SECTION B-B
SCALE 1 : 8

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF POWERLIFT
DOORS. ANY REPRODUCTION
IN PART OR AS A WHOLE
WITHOUT THE WRITTEN
PERMISSION OF POWERLIFT
DOORS IS PROHIBITED.



		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14. 5-2009			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

Part Number	N/A	
TITLE:	Concrete Jamb and Header	
SIZE	Door Type(s)	REV
A	Junior	A
SCALE: 1:25	WEIGHT:	SHEET 2 OF 3

A


A

2

1


Monday, August 23, 2021 12:19:13 PM

POWERLIFT JUNIOR SILL DETAIL



B

B



CONCRETE/REBAR FOUNDATION
TO BE SPECIFIED AND
COMPLETED BY OTHERS

SECTION C-C
SCALE 1 : 10

POWERLIFT DOOR SEAL TO BE
INSTALLED TO FILL GAP (NOT SHOWN)

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF POWERLIFT
DOORS. ANY REPRODUCTION
IN PART OR AS A WHOLE
WITHOUT THE WRITTEN
PERMISSION OF POWERLIFT
DOORS IS PROHIBITED.



		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14. 5-2009			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

Part Number	N/A	
TITLE:	Concrete Jamb and Header	
SIZE	Door Type(s)	REV
A	Junior	A
SCALE: 1:25	WEIGHT:	SHEET 3 OF 3

A

A

2

1