



Monday, August 23, 2021 10:40:56 AM

# POWERLIFT JUNIOR HEAD DETAIL (SOLID WOOD BUILDING HEAD MEMBER)



SECTION A-A  
SCALE 1 : 8

**PROPRIETARY AND CONFIDENTIAL**

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POWERLIFT DOORS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POWERLIFT DOORS IS PROHIBITED.



		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14. 5-2009			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			



Part Number		N/A	
TITLE: Wood Jamb and Solid Wood Header			
SIZE	Door Type(s)	REV	
<b>A</b>	Junior	A	
SCALE: 1:25		WEIGHT:	SHEET 1 OF 3

Monday, August 23, 2021 10:40:56 AM

# POWERLIFT JUNIOR JAMB DETAIL (WOOD BUILDING JAMB MEMBER)

B

B



BUILDING JAMB  
2X6 OR LARGER MEMBERS  
BY OTHERS - CONFIRM  
WITH LOCAL POWERLIFT  
REPRESENTATIVE  
(SIZE AND RELATIVE  
LOCATION MAY VARY)

POWERLIFT OUTSIDE  
DOOR LEG MEMBER

SECTION B-B  
SCALE 1 : 8

**PROPRIETARY AND CONFIDENTIAL**

THE INFORMATION CONTAINED  
IN THIS DRAWING IS THE SOLE  
PROPERTY OF POWERLIFT  
DOORS. ANY REPRODUCTION  
IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN  
PERMISSION OF POWERLIFT  
DOORS IS PROHIBITED.



		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14. 5-2009			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

Part Number	N/A	
TITLE:	Wood Jamb and Solid Wood Header	
SIZE	Door Type(s)	REV
<b>A</b>	Junior	A
SCALE: 1:25	WEIGHT:	SHEET 2 OF 3

A


A

2

1


Monday, August 23, 2021 10:40:56 AM

# POWERLIFT JUNIOR SILL DETAIL



B

B



CONCRETE/REBAR FOUNDATION  
TO BE SPECIFIED AND  
COMPLETED BY OTHERS

SECTION C-C  
SCALE 1 : 10

POWERLIFT DOOR SEAL TO BE  
INSTALLED TO FILL GAP (NOT SHOWN)

### PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED  
IN THIS DRAWING IS THE SOLE  
PROPERTY OF POWERLIFT  
DOORS. ANY REPRODUCTION  
IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN  
PERMISSION OF POWERLIFT  
DOORS IS PROHIBITED.



		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14. 5-2009			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

Part Number	N/A	
TITLE:	Wood Jamb and Solid Wood Header	
SIZE	Door Type(s)	REV
<b>A</b>	Junior	A
SCALE: 1:25	WEIGHT:	SHEET 3 OF 3

A

A

2

1